


Amritanilayam Stotras

6.3 - ?????????? ?????????? ?????? - ????
????????? ?????????? ?????? ????



□□□□□□□□□□
□□□□□□□□
□□ □□□□
□□□□□□□
□□□□□□□□
□□ -□□□□
□□□□□□□

-□□□□□□
-□□□□
-□□□□□□
□□□□
-□□□□
□□ □□□
[□□ □□ , □□□
□□□□□□□

] 3

-□ □□□□□□
□□□□ -□□□□
□□□□□□
□□□□
□□ -□□□□
□□□□
□□□□ . □□□□
□□□□
□□□□ -□□□□
□□□□
□□□□ - [□□□□□□
□□□□ , □□□□□
□□□□□□
□□] 4

-□□□□
□□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
-□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
-□□□□
□□ □□□□
□□□□□□
-□□□□
-□□□□
□□ -
□□□
□□ □□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□] 5

□□□□ □ -□□□□
□□□□□□
□□□□
□□ -□□□□
□□□□
□□□□
□□ -□□ -□□□□
□□□ -
-□□□□
□□ □ □□□ -
-□□□□
□□ -□□□□
□□□□
□□□□
□□ -□□□□
□□□□
□□ □ -□□□□
□□□□
□□ -
□□ -

16 - 10 = 6

The image shows a 10x8 grid of binary code. Each row contains 8 vertical bars, where each bar represents a bit in a byte. The first four rows represent the address space, and the remaining six rows represent the data space. The data values are as follows:

- Row 1: 00000000
- Row 2: 00000000
- Row 3: 00000000
- Row 4: 00000000
- Row 5: 00000000
- Row 6: 00000000
- Row 7: 00000000
- Row 8: 00000000
- Row 9: 00000000
- Row 10: 00000000

The grid is used for a memory dump exercise, likely for a computer science or programming class.

A collection of various Japanese kanji characters arranged in a grid-like pattern. The characters are represented by small squares, some of which are filled black while others are white. The arrangement is somewhat scattered, with groups of characters appearing in different parts of the grid.

□□□□□□□□ □□□□□□□□ □□□ □□□ □□□□ -□□□□□□ □□□□□□
□□□□□□□□ □□□□□□ -□□□□□□□□ □□□ □□□□ -□□□ -
□□□□□□□□ -□□□□□□□□ □□□ □□□□ □□□□ □□□□ □ - [□□□□□]
□□□□ □□□□ , □□□□□□□□ -] 10

-□□□□□□□□□□ □□□□□□ -□□□□□□□□□□
□□□□□□□□ □□□□□□ (1□) □□□□ □ -
□□□□□□□□□□ □□□□ -□□□□□□□□
□□□□□□□□ □□□□□□ -□□□□ □□□□ -□□□□
□□□□□□ □□ □□□□□□□□□□ □□□□
□□□□□□ □□□□ -□□□□□□□□□□ □□□
□□□□□□ □□□□ □□□□ □□□□ □□ □□□□□□
□□□□ □□□□□□ □□□□ □□ □□ [
□□□□ □□ , □□□□□□ -] 11

□□□□□□□□□□ -□□□□□□□□□□
□□□□□□□□ □□□□□□□□ □□□□□□□□
□□□□ □□□□ □□□□ □□□□ □ -
□□□□□□ □□ -□□□□ □□□□ □□□□ □ -
□□□□ □□ □□□□ □□□□ □□ □□□□ □□□□
□□□□□□ □□ □□ -□□□□□□ -□□□□□□
□□□□□□ □□□□ -□□□□□□ -□□□□□□
□□□□ □□ 12 □
(□□ -□□□□ - □□□□ - □□□□ - □□□□□□ □ -
□□□□) (□ . 2)

□□□□□□□□□□ □□□□ □□□□□□□□□ □□□□
□ □□□□□□ □□□ -□□□□□□□□ -□□□□□□
□□□□□□□□□□ -□□□□□□
□□□□□□□□□□ □□□□□□ □□□□ -
□□□□□□□□□□ □□□□ -□□□□□□ -
□□□□□□□□□□ □□□ -□□□□□□ -□□□□ □□
□□□□ , □□□□ -□□□□□□□□] 13

□□□□ -□□□□□□□□□□ □□□□ □□□□□□□□
□□□□ -□□□□□□ □□□□□□ □□□□ □□□□ -
□□□□□□□□ -□□□□□□□□
□□□□□□□□ □□□□

  - 
    

The image displays a large grid of binary code blocks, each consisting of a 5x8 matrix of squares. The blocks are arranged in several horizontal rows. Some blocks have all squares filled (solid black or white), while others have specific patterns of black and white squares. A prominent feature is a block in the lower-middle section containing the number '18' in a 5x8 grid. To the right of this '18' block is a block with a single black square in the top-left corner. The entire grid is set against a white background.

A horizontal row of ten empty square boxes, likely used for a counting or labeling exercise.

120

] 21

1 + 10 = 11
2 + 10 = 12
3 + 10 = 13
4 + 10 = 14
5 + 10 = 15
6 + 10 = 16
7 + 10 = 17
8 + 10 = 18
9 + 10 = 19
11 + 1 = 12
12 + 1 = 13
13 + 1 = 14
14 + 1 = 15
15 + 1 = 16
16 + 1 = 17
17 + 1 = 18
18 + 1 = 19

- [] -

The diagram illustrates a sequence of binary strings and their operations:

- Row 1: An 8-bit string followed by a 4-bit string.
- Row 2: A 4-bit string followed by a subtraction operation (-) and an 8-bit string.
- Row 3: An 8-bit string followed by a subtraction operation (-) and a 4-bit string.
- Row 4: An 8-bit string followed by a subtraction operation (-) and an 8-bit string.
- Row 5: An 8-bit string followed by a subtraction operation (-) and a bracketed 8-bit string.
- Row 6: An 8-bit string followed by a subtraction operation (-) and the number 24.

□□□□□□□□ □□ □□□□ □□□□□□ □□□□□□ □□□ □ -□□□□□□
□□□□ -□□□□ □□□ -□□□□ -□□□□□□□□□
□□□□ □□□□□□ □ □□□□□□□□
□□□□ □ □□□□ □□□□□□ □□□□□□
□□□□□□□□ -□□□□□□□□ □□□□□□
□□□□ -□□□□□□□□ □□□□ □ □□
□□□□□□□□ □□□□ □ -□□□□□□□□
-□□□□□□ -□□□□□□□□ □□□□ □ - [□□□□□□] , □□□
□□□□ -] 28

-□□□ □□□□□ □ -□□□□□□□□ □ -□□□□□□
□□□□□□□□ -□□□□ □□□□ □□□□□□
□□□□□□ □ □ -□□□□□□□□ □ -□□□□□□
□□□□□□ -□□□□□□ □□□□ □□□□ □□
□□□□□□ □□□□ -□□□□□□ □ -□□□□□□
□□□□□□ -□□□□ □ -□□□□□□ -
□□□□□□□□ □□□□ □ -□□□□□□ □ -□□□□□□
□□ □□□□ □□□□ [□□□□] , □□□□ □ -] 29

□□□□ -□□□□□□□□ □ -□□□□□□
□□□□□□ □□□□□□ □□□ -
□□□□□□ □□□□□□ □□□□ □□□
□□□□ □ □□□□ -□□□□□□ □ -□□□□ □ -□□□ □□
□□□□□□ □□□□□□ -
□□□□□□ □□□□□□
□□□□□□ □□□□ -□□□□□□ □□□□□□
□□□□ [□□□□] , □□□□□□ -□□□] 30

□□□□□□□□ -□□□ □□□□□□
□□□□□□ □□□ -□□□□□□□□ □□□□□□
□□□□ -□□□□□□ □□□□ □□□□□□□□□ □□
□□□□ -□□□□□□□□ -
□□□□□□ □□□ -□□□□ □□□□□□ -
□□□□□□□□ □□□□ □□□□□□
□□□□□□ □□□□□□ -
□□□□□□ □□□ -□□□□□□ -
□□□□□□□□ □□□□ □□□□□□
□□□□□□ □□□□ -
□□□□□□ □□□ -□□□□□□ -
□□□□□□□□ □□□□ □ 31 □

The image shows a single page from a Japanese manuscript. The text is written in a dense, horizontal style, likely a form of cursive or semi-cursive handwriting. It consists of several lines of text, some of which are longer than others. There are several numerical values interspersed throughout the text, including '32' and '33'. Punctuation marks like commas and brackets are also present. The script is a mix of traditional characters and more fluid, cursive-like strokes.

The diagram illustrates the construction of a large 35x6 grid. It is composed of several smaller rectangular components:

- A top row consisting of two 6x6 grids and one 5x6 grid.
- A middle row consisting of two 6x6 grids and one 5x6 grid.
- A bottom row consisting of one 6x6 grid, one 3x3 grid, one 5x6 grid, and one 3x6 grid.
- On the far left, there is a single 6x6 grid and a bracketed section labeled '()' containing a 6x6 grid and a 3x3 grid.

Diagram illustrating various binary strings and their relationships:

- Row 1: 5 bars, 5 bars, 5 bars, 5 bars, -5 bars
- Row 2: 5 bars
- Row 3: 5 bars, 5 bars, 5 bars
- Row 4: 5 bars
- Row 5: 5 bars, 5 bars, 5 bars
- Row 6: 5 bars, 5 bars, -5 bars, 5 bars, 5 bars
- Row 7: 5 bars, -5 bars, 5 bars, 5 bars
- Row 8: 5 bars, -5 bars, 5 bars
- Row 9: 5 bars, -5 bars, -5 bars, -5 bars, -[5 bars], , 5 bars
- Row 10: 5 bars, -5 bars, 5 bars,] 36

The diagram shows a sequence of binary strings (represented as horizontal lines of squares) arranged in a grid-like pattern. Some strings are preceded by a '-' sign, indicating they are part of a sequence or have a specific relationship to other strings in the sequence.

□□□□□ □□□□□ □□□□□ □ - □□□□□ □□□□□ □□□□□□
□□□□□□□□ □□□□□□□ □□□□□□ □□□□□□□□ □□ □□□□□□
□□□□□□□□ □□□ □ - □□□□□□□□ □□ -
□□□□□□□□□□ □□ -
□□□□□□□□□□ □□□□□□□□□□ □□□□□□□□□□
□□□□□ - □□□□□ □□□□□□□□ □□ □□□□□□□□
□□□□□□ □ - □□□□□□□□ □□□□□□□□
□□□□□□ □ - □□□□□□□□ □□□□□□□□
□□□□□□ □ - [□□□□□□□□] □ , □□□ □ -
□□□□□□□□□□] 39

- □ - □□□□□□□□ □□□□□ □□□□□□□□
□□□□□ □□□□ □□□□□ □□□□ □□□□□□□□ □□□□
□□□□ - □□□□□ □ - □□□□□ □□□□□□□□
□□□□□□ □□□□ □□□□□□□□ □ . □□□□ □□ □
□□□□ □□□□□ □□□□□□□□ □□□□□□□□
□□□□ □□□□ □□□□□□□□ □□□□□□□□ -
□□□□ - □□□□□ □□□□ □□□□□□□□ □□
□□□□□□ □□□□ - □□□□□□□ □□□□ - □□□□□□□□□□
□□ - □□□□□□□□□□
□□□□ □□□□ - □□□□□□□ □□ 40 □
(□□□□ - □□□□□ □□□□□ -
□□□□□□ □□□□□ - □□□□□□□ □ - □□□□ □□
- □□□□□ □) (□ . 7)

□□□□□ □□□□ □□□□□□□□ □ - □□□□□□
□□□□□ - □□□□□□□ □□ □ □ - □□ □ - □□□□□□
□□□□□ □□□□ □□□□□ □□□□
□□□□□□□□ □□□□ - □□□ □□□□□□□□□□
□□□□□□□□ □□□□ - □□□ □□□□□□□□□□ □□ (3)-
□□□□□□ □ (3) □□□ □□□□□ □□ □ □□ □□□□
□ - □□□□□□ □ - □□□□□□□ □□□□□□□□
□□□□ - □□□□□□□ □□□□ - □□□□□□□ □□
□□ □□□□ □□□□ □ - [□□□] , □□□□□□] 41

- □□□□□□ □□□□□□□□ □□□□□□□□
□□□□□ □□□□ □□□□□□□□ □ - □□□□□□□□
□□□□□□□□ □ - □□□□□□□□□□
□□□□□□ □□□□ □□□□ □□□□□□

□□□□□□□□□□
□□□□□□□□□□
□□□□□□□□□□
□□□□□□□□□□
□□□□□□□□□□
□□□□□□□□□□
□□□□□□□□□□ -] 42

-□□□□ -□□□□□□ -□□□□□□□□ -□□□□□□□□□□ □□ □ -
□□ - -□□□□□□□□ □□□□□□□□□□ □□
□□□□□□□□ -□□□□□□ □□□□ □□□□ -
□□□□□□□□ □□ □□□□ -□□□□□□□□ -
□□□□□□□□ □□□□ □□□□ □□□□ -
□□□□□□□□ □□ □□□□ -□□□□ □□□□□□□□
□□ □□□□ -□□□□□□ □□□□ □□□□ [
□□□□ , □□□□□□□□] 43

□□□□□□□□□□ □□ □□□□□□□□□□□□
□□□□□□□□ □□□□□□□□ □□ □□□□
□□□□□□□□□□ □□□□□□
□□ □□□□ □□ □□□□ -□□□□□□
□□□□□□□□ □□□□ □□ □□ -
□□□□□□□□ □□□□ □□□□□□□□ □ 44 □
(□□□□ □□□□ □ -□ - -□□□□ - -□□□□□□ -
□□□□□□□□□□) (□ . 8)

□□□□ □□□□□□ □□□□□□□□□□
□□□□ □ - □□□□ □ - -□□□□□□ □
□□□□□□□□ □□□□□□
□□□□ □□□□ □□ □□□□ -□□□□ □□□□
□ - -□□□□ □□□□ □□ □□ -
□□□□□□□□□□ □□□□□□□□ □□□□□□
□□□□□□□□ □□□□□□
□□□□ □□□□□□ □□ □□ □□□□ -
□□□□ , □□□□□□ □□ □□] 45

-□□□□□□□□ □□ □□ □□ □ - □□□□□□ □□□□□□ □□
□□□□□□□□ □ □ □□□□□□ □□□□□□
□□□□□□□□ □□ □□□□□□
□□□□□□□□ □□□□□□ -□□□□□□ -

□□□□□ □□□□□□□ □□□□□□□□
□□□□□□□□ □□□□□□
□□□□ □□□ -□□□ □□□ -□□□□
□□□□□□□ □ -□□□ □□ -□□□□□
□□□ □□ □□□□ □ -□□□□ [] 46

□□□□□ □□□□□ □ -□□□□□□□ □□□□□□□□
□□□□ □□□□ □□□□ □□□□□□□□
□□ □□□□ □□ □□□□ □□□□□□□ -□□□□□□□
-□□□ □□□ -□□□□□ □ -□□□ -□□□□□□□□
-□□□ □□□ -□□□□□□□□□
□□□□ □□□□ □□□□□
□□□□□□□□□ □□□□□□□□□ □□□
□□□□□□□□□ [
□□□□□□□□□ , □□□□ □□□□] 47

□□□ □□□□□ □□□□□ □□□□□□□
□□□□□□□ □□ □□□ -□□□□□□□ □ -□□□□□ -
□□□□□ -□□□□□□□□
□□□□□ □□□□□ □□□ □□□ -
□□□□□□□ □□□ □□□ -□□□□□□□
□□□□□□□ □□□ -□□□□□□□ □□□ □□□
□□□□□□□ □□□ -□□□□□□□
□□□□□□□ □□□ □□□ □□□□ □□□ □□□□□ - [
□□ □□□□□ , □□□□□□□] 48

-□□□□□ □□□□□□□□□ □□□ -
□□□□□□□□□ □□□ -□□□□□□□ □□□
□□□ □□□ □□□ □□□□□□□
□□□ -□□□□□□□ -□□□□□ □□□ □□□□□
□□□ -□□□ □□ -□□□□□ -□□ -□□□□ -
□□□□□□□ -□□□□□□□□□
□□□□□□□ □□□□□□□
□□□□□□□ [] 49

□□□□□□ □□□□□□ □□□□□□□ □□ □□
□□□□□ -□□ -□□□□□□□□□ □□□
□□□□□□□□□ □□□□□
□□□□□□□□□ □□□ □ -□□□□□□□□□

The diagram illustrates binary representations of numbers from 0 to 59. Each number is shown in a group of 10 boxes. Filled black boxes represent 1, while white boxes represent 0. The groups are as follows:

- Group 1 (0-9):
 - 0: 1111 1111
 - 1: 1111 1110
 - 2: 1111 1101
 - 3: 1111 1100
 - 4: 1111 1011
 - 5: 1111 1010
 - 6: 1111 1001
 - 7: 1111 1000
 - 8: 1110 1111
 - 9: 1110 1110
- Group 2 (10-19):
 - 10: 1110 1101
 - 11: 1110 1100
 - 12: 1110 1011
 - 13: 1110 1010
 - 14: 1110 1001
 - 15: 1110 1000
 - 16: 1101 1111
 - 17: 1101 1110
 - 18: 1101 1101
 - 19: 1101 1100
- Group 3 (20-29):
 - 20: 1101 1100
 - 21: 1101 1011
 - 22: 1101 1010
 - 23: 1101 1001
 - 24: 1101 1000
 - 25: 1100 1111
 - 26: 1100 1110
 - 27: 1100 1101
 - 28: 1100 1100
 - 29: 1100 1011
- Group 4 (30-39):
 - 30: 1100 1010
 - 31: 1100 1001
 - 32: 1100 1000
 - 33: 1100 0111
 - 34: 1100 0110
 - 35: 1100 0101
 - 36: 1100 0100
 - 37: 1100 0011
 - 38: 1100 0010
 - 39: 1100 0001
- Group 5 (40-49):
 - 40: 1100 0000
 - 41: 1011 1111
 - 42: 1011 1110
 - 43: 1011 1101
 - 44: 1011 1100
 - 45: 1011 1011
 - 46: 1011 1010
 - 47: 1011 1001
 - 48: 1011 1000
 - 49: 1011 0111
- Group 6 (50):
 - 50: 1011 0110
- Group 7 (51-59):
 - 51: 1011 0101
 - 52: 1011 0100
 - 53: 1011 0011
 - 54: 1011 0010
 - 55: 1011 0001
 - 56: 1011 0000
 - 57: 1010 1111
 - 58: 1010 1110
 - 59: 1010 1101

The diagram consists of multiple horizontal rows of binary digits (0s and 1s). Some rows are preceded by a minus sign (-). Labels like '(3)-' and '-' are placed near certain binary strings. The arrangement is somewhat scattered, suggesting a complex relationship or a search space.

Row 1: 11111
 Row 2: 1111111111
 Row 3: -1111111111
 Row 4: 1111111111
 Row 5: -1111111111
 Row 6: 1111111111
 Row 7: -1111111111
 Row 8: 1111111111
 Row 9: -1111111111
 Row 10: - [1111111111] , 1111111111

-□□□□□ □□□□□□□□ □□□ -□□ □□□□□□□
□□□□□□□ □□□ □□□□□□ □□□
□□□□□□□□□□□□ □□□□□□□□
□□□□□□□□ □□□□□□ □□□□ -□□□
□□□□□□□□ □□□□ -
□□□□□□□□ □□□ □□□□□□□□□□
□□□□□□ □□□□ -□□□ □□□□□□□
□□□□□□ □□□ □□□□□□ □□□□ □□□ - [
□□□□□□□□ □□□ , □□□□□□ □□□ □□□□] 54

-□□□□□□ □□ □□□□□□ □□□□ -□□□□□ -
□□□□□□□□□□ □□□□□□□□
□□□□□□ □□□□ -□□□□ □□□□□□□
□□□□ □□□□□□ □□□□ □□□□
□□□□ □□□ □□□□□□ □□ □□□□□□ □□□
□□□□□□□□ □□□□ -□□□ □□□ -□□□ □□□
□□□□□□ □□□ -□□□ -□□□ □□□□□□ -
□□□□□□□□ □□□□□□□□ [□□□□□□□□] , □□□ -
□□□□ □□□ -□□□ □□□] 55

□□ -□□□□□ -□□□□□ -□□□□
□□□□□□□□□□ □□□□ □
□□□□□□□□□□ □□□ □□□□□□□□
□□□ -□□□□□□□ □□□ -□□□□□□□
□□□ □□□□ □□□ -□□□ □ -□□□ □ -
□□□□□□□□□□ □□□□□□□□
□□□ □□□□□□□ □□□ -□□□ □□□ -□□□ □□□
□□□□□□□□ □□□ -□□□ □□□ □□□
□□□ □□□ -□□□ □□□ □□□) 56)
(□□□ □□□□□□ - □□□□□□ - □□□ □ - □□□ -
□□□□□□□□ □□□□ - □□□ -
□□□□□□□□ □□□□) (□ . 10)

□□□□□ □□□□ □□□□□□□□ □□□□□□□ □□
□□□□□ □□□□ □□□□ □□□ □□□□□□□□
□□□□□□□□ □□□ □□□ □□□ □□□□□□ -□□□
□□□□□ □□□□ □□□ □□□ □□□ □□□ □□□ -
□□□□□□□□ □□□□ -□□□ □□□ -□□□□□□□ □□ -

□□□□□□ □□□□□□ □□ □□ □□□□□□ -□□□□□□ □ -
□□□□□□ □□□□□□ □□□□□□ -□□□□□□ □□□□□□
□□ □□□□□□ □□ □□ -□□□□□□ □□□□□□ [□□□□□□
□ □□ -□□□□□] 57

□ □□ -□□□□□ -□ -□□□□□□□□□□
□□□ □□ □□□□□□ □□□□ □□□□□□ -□□□□
□□□□□□ □□□□□□ □□□□□□
□□□□□□□□□□ □□□□□□□□□□
□□□□ □□□ □□□□□□□□ □□ □□
□□□□□□□□ □□□□□□ □□ □□□□□□
□□□□ □□□□ □ -□□□□□□□□
□□□□□□ □□□□□□ □□□□ □□ -
□□□□□□ □□□□ □□ □□ □□□□ □□ -
□□□□□□ □□□□ □□ □□ □□□□ □□ □□ - [
□□□□ □□□□ , □□□□] 58

-□□□□ □□□□ -□□□ □□□ □□□ □□□□
□□□□□□□□□□ -□□□□□□□□□□ -□□□□□□
□□□□ □□□□□□ -□□□□ -□□□□□□□□□□
□□□□ -□□□□□□□□ □□ □□□□□□
□□□□□□ □□□ □□ □□□□□□□□ □□□
□□□□ □□□ □□ □□□□□□□□ □□□□
□□□□□□ □□□ □□□ □□□□ □□□ -
□□□□ -□ -□□□□□□ -□□□□□□
□□□ , □□ □□□□□□ □□□□] 59

□ □□□□□□ □□□□ □ -□□□□□□□□□□ -□□□□□□
-□□□ □□□□□□ -□□□ □□□□ □□□□□□
□□□□□□ □□□□□□ □□□□□□
□□□□□□□□□□ □□□□□□□□□□
□□□ □□ □□ □□□□ -□□□□ □□□□ □□□
□□□□□□ □□□ □□□ □□□□ □□ □□ -
□□□□□□ □□□ □□□ □□□□ □□ □□ - [□□□□□□
□□□ , □□□□□□ □□] 60

□□□□□□ □□ □□□□ □ -□□□□□□□□□□ □□ -
□□□□□□□□□□ -□□□□□□ □ □
□□□□□□□□□□ □□ □□□□ □□□□□□
□□□□□□ □□□□□□ □□ □ -
□□□□ □□□□ □ -□□□□□□□□ □□□□ -

Diagram illustrating various arrangements of 1x2 rectangles (dominoes) on a 10x2 grid:

- Row 1: A single row of 10 rectangles.
- Row 2: Two columns of 5 rectangles each.
- Row 3: A 2x5 rectangle followed by a 3x2 rectangle.
- Row 4: A 5x2 rectangle followed by a 5x1 rectangle.
- Row 5: A 2x5 rectangle followed by a 3x2 rectangle, separated by a comma.

161

A row of seven groups of rectangles representing fractions. From left to right: $\frac{1}{5}$, $\frac{2}{5}$, $\frac{3}{5}$, $\frac{4}{5}$, $\frac{5}{5}$, $\frac{6}{5}$, and $\frac{7}{5}$. Each group contains five small rectangles. The first four groups have one rectangle shaded, while the last three have two shaded.