


Amritanilayam Stotras

4.2 - ??????? ?????????????????? - ????? ??????
????????? ?????? ????



□□□□□□ □□□ □□□□□□ -□□□□ -[-□□□□] , □
□□□□□□□□ □□□□□] 3

-□□□ □□□□□□□ □□□□□ □□□ □□□□□□□
□□□□□ □□□□□□ □□□□□ □□□ □□□□□□□ -□□□□□
□ -□□□□□□□□□□□ □□□□□□□ □□□□□ □□□□□□□ □
□□□□□□□ □□□□□ □□□□□□□
□□□□□□□□□□□
□□□□□□□□□□□ -□□□□□□□ □□□□□□□
□□□□□ □□□ □□□□□□□ -□□□□□□□
□□□□□□□ □□□□□] 4

□□□□□ □□□□□□□ □□□□□□□ □□□□□□□ □
□□□□□□□ □□□ □□□□□ -□□□ □□□□□ -
□□□□□□□ □□□□□□□ □□□□□ □□□□□ □□□ □
□□□□□□□ □□□□□ □□□□□ □□□□□ □□□ □□□ □
□□□□□□□ □□□□□ □□□□□ □□□□□ -□□□□□
□□□ □□□ □□□□□ □□□□□ □□□ □□□ □
□□□□□ □□□ □□□□□ □□□□□ □□□ □□□ -□□□□□
□□□□□ -□□□□□□□ □□□ □□□ □□□ □□□ -
□□□□□ □□□□□□□ □□□ □□□□□ -□□□□□
□□□□□ □□□ □□□□□ □□□□□ □□□ □□□ -□□□□□
□□□ □ 5 □
(□□□□□ □□□ □□□□□ □□□ □□□ □ -
□□□□□□□ □□□ □□□ -□□□□□□□ □□□ □□□ -
□□□□□ -□□□□□ □□□ □□□ □) (□ . 1)

□□□□□ □□□ □□□ -□□□□□ □□□□□□□ -
□□□□□□□ -□□□□□ □□□□□□□ □□□ □□□□□□□
□□□ □□□□□□□ □□□ □□□ -□□□□□ □□□□□□□ □
□□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □
□□□ □□□ -□□□□□ □□□ □□□ □□□ □□□ □□□
□□□ -□□□□□ □□□ □□□ □□□ □□□ □□□ □□□
□ □□□□□□□ □□□ □□□ □□□
□□□□□□□□□□□ □□□ □□□ [□□□□□□□ □□□ □□□ , □□□□□
□□□□□□□□□□□] 6

This image shows a grid of binary code blocks from the 1971 version of the game. The grid consists of 10 rows and 10 columns of binary digits (0s and 1s). Each row represents a command or part of a command. The first four rows represent the initial state of the board, followed by a blank row. Rows 6 through 9 show various moves and actions, such as moving pawns and capturing pieces. Row 10 shows the final state of the board.

The diagram shows a repeating sequence of binary patterns. It starts with a low level (0), followed by a high level (1) for one bit period, then a low level (0) for two bit periods, a high level (1) for three bit periods, a low level (0) for four bit periods, a high level (1) for five bit periods, a low level (0) for six bit periods, a high level (1) for seven bit periods, a low level (0) for eight bit periods, and finally a high level (1) for nine bit periods. This pattern repeats.

The diagram consists of several rectangular nodes arranged in a grid-like pattern. Each node is divided into two horizontal sections by a vertical line. Some nodes have a single vertical line connecting their two sections, while others have multiple vertical lines or are connected horizontally to other nodes. The connections form a complex web across the page.

□□□□□□ □ □□□□□ -□□□□ -□□□□□□
□□□□□□□□□□□□ □ □ - [□ , □□□□□□
□□□□ □□□□ □] 10

-□□□□□ . □□□□□ □□□□□ □
□□□□□□□□□□□□ □□□□□ □□ □ -
□□□□□ □□□□□ □□□□□ □□□□□ □□□□□ -
□□□□□ □□□ □□□□□ □□□□□ □□□□□
□□□□□ -□□□□□ □□□□□□□□
□□□□ □□□□□ □□□□□ -□□□□□ -
□□□□□□□□□□ □□□□□ -□□□□□□□□
□□□□□ □□□□□□□□ □□□□□ □ - [
□□□□□□□□ □□□□□ , □□□□□□□□
□□□□□ □] 11

□□□□□□ □□□□□□ □ □□□□□ □□□□□□
□□□ □ □□□□□ □□□□□□ -□□□□□
□□□□□□□□ □ □□□□□ □□□□□
□□□□□ □□□□□ □□□□□ □ □□□□□□□□
□□□□□ □□□□□□ □□□□□ -□□□□□□□□
□□□□□ -□□□□ □ □□□□□□□□
□□□□□ □□□□□ □ □□□□□ □□□□□
□□□□□ □□□□□ -□□□□□ □□□□□ □□□□□
□□□□□ □□□□□ □□□□□ □ □□□□□□□□ [] 12

-□ □□□□□□ □□□□□ □□□ □□□□□ □ □□□□□
□□□ □□□□□□ □ □□ □□□□□ □ □ □□□□□□□□
□□□□□□ □□□□□ □ □□□□□□
□□□□□□ □ □□□□□□ □□□□□ □□□□□ □□□□□
□□□ □ -□□□□□□ □ -□□□□□□□□
□□□□□ □□□□□ □ □□□□□ -□□□□□ □□□□□
□□□□□ □□□□□ -□□□□□ □□□□□ □□□□□ □□□□□
□□□□□ □□□□□ □ □□□□□ □□□□□ □□□ □□□
□□□□□ □□□□□ □□□□□ -□□□□□ □□□□□ □□□ □□□
□□□□□ □□□□□ □□□□□ □ □□□□□□□□ □] 13 □
(□ - □□□ - □□□ - □ - □□□ - □□□ □) (□ . 3)

□□□□□ □□□□ □□ □□ □□□□□□□ □□ -□□□□ □□
□□□□□ □□ □□ □□□□□ □□ □□□□□ -□□□□
□□□□□ -□□□□□□ □□□□□ -□□□□□
□□□□□□ □ □□□□□□□□□
□□□□□ □□□□□□ □□□□□ -□□□□ □□
□□□□□ -□□□□□ □□ □□ -□□□ □□ □□□□□□□
□□ -□□□□□ □□□□□ □□ □□ □□□□ □□ □□□□
□□ , □□□□□] 14 [

□□□□□ -□□□□□□□□□□ □□ □ □□□□
□ □ □□□□□□ □ -□□□□□□ □ -□□□□
□□□□ □□□□ □□□□ □ □□□□ -
□□□□ -□□□ □□□□ □□□□ -□□□ -
□□□□ □□□□ □ □□□□ □□□□ □□□□
□□□□ □□□□ □□□□ □□□□ □□□□ □□□□
□□□□ □□□□ □ -□□□□ □□□□ □□□□ □□ □ □
□□ □□□□ -□□□□ □□□□ □□□□ □ -□□□□
□□□□ -□□□□□□ □□□□ □ -□□□□ □ -[□□□□□□
□□□□ , □□□□ □□ □□□□ □] 15

-□□□□ □□ □□□ □ □□□□□□□
□□□□□□□ □□□ -□□ □□□□□□□
□□□□□ □ □□□□□□ □□□
□□□□□ -□□□□□ □ □□□□□
□□□□□□□ □□□ □□□ □ □□□□□
□□□□□ □□□ □□ -□□□ -□□□□□□□
□□□□ □□ □□□□ -□□□□□□□ □□□□
-□□□□ □□ □□ □□□□□ □□ □ □ -□□□
□□□□ -□□□□ □□ □□ □□ □□□□ □ □ □ -
□□□□ - [□ -□□□□□] , □□□□ □□ □□□□ □] 16

-□□□□ □ □□□□ □ □□ □□□ □ □ □□□□
□□ □□□□ -□□□□□ -□□□□□ □□□
□□□□ □□ □□□ -□□□□ -□□□□□ -
□□□□ □□ □□ -□□□□ □□□ -□□□□□
□□ □□□ □□□ □ □□□□□ □□□
□□□□□□□ . □□□□□□□ □ □ □ □ □□□□
□□□□ -□□□□□ □□□ -□□□□□ □□□□ □ □
□□□□ -□□□□□ □ -□□□□□ □□□
□□□□ □ 17 □
(□□□□□ - □□□□ □ - □□□ - -

）（□ . 4）

A horizontal row of 20 empty square boxes, likely used for drawing or marking responses.

-111111 00111111 11111111 -111111
11111111 -11111111 111111 11111111 1111 0
111111 111111 -11111111
111111111111 00111111 -11111111 -111111 11111111 0 00111111
111111111111 001111 1111 -11111111 -111111 11111111 0 00111111
111111111111 001111 -111111 1111 00111111 11111111 -[
, 11111111 -111111 1111 00111111 11111111] 19

A sequence of binary strings representing a permutation of length 10. The strings are arranged in four rows.

- Row 1: -1010101010, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000
- Row 2: 1111111111, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000
- Row 3: 0000000000, 1111111111, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 0000000000
- Row 4: 0000000000, 0000000000, 0000000000, 0000000000, 0000000000, 1111111111, 0000000000, 0000000000, 0000000000, 0000000000

□□□□□ □ □□□□□□ -□□□□□□□□ □□□□□ -
□□□□□ □□□ -□□□ □□□□□ [□□□□] -□□□ □□□□□ ,
□□□□□ □] 21

□□□□□ □ □□□ □□□ □□□□□□□□□□□□□□
□□□□□ □□□ □□□□□ □ □□ -□□□□□□
□□□□□□□ -□□□□ -□□□□ -□□ -
□□□□□□□ □ □□□□□□□ -□□□□□□
□□□□□□□ □ □□□□ □□□□□ □□□□□ □□□□□
□□□□□ □ □□□ □□□□□ □□□ □□□ □□□□□
□□□□□ □□□ □ □□□□ □□□□□ □□□□□ □□□□□
□□□□□ □□□ □□□ □□□□□ □□□□□ □□□□□
□□□□□] 22

□□□□ □ □□□ □□□ -□□□□□□ □□□□□
□□□□ □ -□□□□□□ □□□□□ □□□ □□□□□
□□□□□□□ □□□□□□□ □□□□□□□ □□□ -
□□□□□□□ □□□ -□□□□□□□□ -□□□ □□□□□
□□□□□□□ -□□□□□□ □□□ □□□ -□□□ □□□ □□□
□□□□□□□ □□□□□□ □□□ -□□□□□□
□□□□□□□ □□□□□□ □□□ □□□ □□□□□
□□□□□□□ □□□□□□ □□□ □□□ □□□□□
□□□□□□□ □□□□□□ □□□ □□□ □□□□□
□□□□□□□ □□□□□□ □□□ □□□ -□□□□□
□□□□□□□ □□□ -□□□ -□□□□□□ □] 23 □
(□□□□) -□□□□□□ -□□□□□□ -□□□ □ -□□□
□□□ -□□□ -□□□□□□ -□□□□□□□□) (□ . 5)

□ □□□ □□□ □□□□□□□□ -□□□□□□ □
□□□□□ □□□□□□ □□□ -□□□□□□ □□□□□
□ □ □□□ -□□□ □□□ -□□□□□□ □□□ □□□
□□□ □ □□□ □□□□□ □□□ □□□ -□□□ □□□ -
□□□ □ □□□□□ □□□□□ □□□□□ □□□□□
□□□ □ □□□□□ □□□ □□□ -□□□□□□
□□□ -□□□ □□□□□ □□□ □□□□□
□□□ - [□□□□□□□□] □□□ , □□□□□□□□ □] 24

- [] 25

The diagram shows a sequence of binary numbers (0s and 1s) arranged in a grid. The numbers are represented by horizontal bars of varying lengths. The sequence starts with a bar of length 4, followed by a bar of length 5, then a bar of length 6, and so on, up to a bar of length 10. There are also several bars of length 1 and 2. The sequence ends with a bar of length 10 followed by a single bar of length 1.

The diagram shows a sequence of 20 binary numbers arranged in 20 rows. Each row contains 32 binary digits (0s and 1s). The sequence starts with 1 and ends with 20. The first few rows are as follows:

- Row 1: 100000000000000000000000
- Row 2: 010000000000000000000000
- Row 3: 110000000000000000000000
- Row 4: 001000000000000000000000
- Row 5: 111000000000000000000000
- Row 6: 000100000000000000000000
- Row 7: 111100000000000000000000
- Row 8: 000010000000000000000000
- Row 9: 111110000000000000000000
- Row 10: 000001000000000000000000
- Row 11: 111111000000000000000000
- Row 12: 000000100000000000000000
- Row 13: 111111100000000000000000
- Row 14: 000000010000000000000000
- Row 15: 111111110000000000000000
- Row 16: 000000001000000000000000
- Row 17: 111111111000000000000000
- Row 18: 000000000100000000000000
- Row 19: 111111111100000000000000
- Row 20: 000000000010000000000000

4 tens 5 ones
 - 2 tens 8 ones
 1 ten 7 ones
 1 ten 5 ones
 1 ten 5 ones

(10) - 28 = 17

10 + 5 = 15

The image displays a grid of 15 horizontal rows, each representing a sequence of binary digits (bits). The first four rows are as follows:

- Row 1: 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1
- Row 2: 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1
- Row 3: 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1
- Row 4: 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1

The remaining 11 rows are identical to the fourth row.

[] 30

The diagram illustrates a sequence of binary state transitions. It consists of several horizontal rows of bars, each representing a state. Vertical ticks on these bars indicate transitions between states. The sequence begins with a series of 10-state blocks, followed by a 9-state block, then a 10-state block, and so on, ending with a 5-state block. Transitions are labeled with '-' or other symbols between the bars.

）（□ . 7）


The diagram illustrates a search space represented as a sequence of binary strings. The strings are arranged in four horizontal rows. Each row contains a series of binary strings, each consisting of a sequence of 1s and 0s followed by a '-' sign and another sequence of 1s and 0s. The lengths of the strings in each row increase sequentially from left to right. The first row has two strings of length 1. The second row has three strings of length 1. The third row has five strings of length 1. The fourth row has seven strings of length 1.

□□□□□ - □□□□ □□□□□ - □□□□□□□□
□□□□□ □ □ □ □□□□ □□□□□□□
□□□□□ □□□□□ □□□□□ - □□□□□□□ □
□□□□□□□□ - □□□□□□□ □□□□□ - □□□
□□□□□□□ □□□□□ □□□□□□□
□□□□□ □□□□□ □□□□□ □□□□□
□□□□□ - □□□□□ □□□□□ - □□□□□ □□□□
□□□ , □□□□□□□□□ □□□□□□□□
□□□□□□□□ , □□□□□□□□] 36 [

□□□□□□□ - □□□□□□□ □ - □□ □□□ □□□
□□□□□□ □□□□□ □□□□□ □□□□□
□□□□□ - □□□□□□□ □□□ □ □□□□ - □□□□□
□□□□□□□□ □□□□□□□ □□□ □ □□□ □□□
□□□ □□ □□□ □□□□ □□□□ □□□ □ □□ □□□
□□□□□ □□□□□ □□□□□ □□□□□ □□□ □ □□ □□□
□□□□□ □□□□□ □□□□□ □□□□□ □□□ □ □□ □□□ - □□□
□□□□□ □□□□□ - □□□□□□□ □□□□□
□□□□□ , □□□□□ - □□□□□ □□□□□ □□□ □ □□ □□□
□□□□□] 37 [

- □□□ □ □ □□ □□□ □ □□□ □□□□ □□□
□□□□□□ □□□□□ □ □□□□□□□
□□□□□□□□ □ □□□ □□□□□□□□ □□□
□□□□□□□□ □□□ □ □□□ □□□□□□□ □□□
□ □□□□ - □□□□ □□□□□ - □□□□□□□ □□□
□□□□□ □ □□□□□□□□ □□□□□ □□□ □ □□ □□□
□□□ □□□□□ □ □ □□□ - □□□□ - □□□□□□□
□ □□□□ - □□□□ □□□□□ □ □ □ - □□□□□□□ □□□ - [
□□□□ , □□□□□ □□□ □□□□□] 38 [

- □□□□□ □□□ □□□□□ □□□□□ □ □ □□□□
□□□□□□□ □ □□□□ □ - □□□ □□□□□ □□□
□□□□□ □ □□□□□ □□□□□□□ □□□□□
□□□□□□□□ □□□□□□□ □ □□□ □□□
□□□□□□□ □□□ □□□ □□□□ □□□ □ □□ □□□
□□□□□ □□□ □□□ □□□□ □□□ □ □□ □□□ - [
□□□□□] 39 [

 -  ,  -] 39

The diagram illustrates a sequence of binary strings (horizontal bars) and their relationships. A dashed line connects specific bars in each row, suggesting a mapping or dependency between them. The strings are composed of black squares representing binary digits.

The image displays a grid of 10 rows, each containing 10 squares arranged horizontally. The first 9 rows represent standard binary code. The 10th row begins with binary code, followed by a closing parenthesis, and ends with the number '10'.

□□□□□□□□□□
□□□□ - □□□□□
□□□□□□□
□□□□ □□□□□□
□□□□ - □□□□□□
□□□□
□□□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□
□□□□ [] 46

□□□□ □□□□ □□□□ □□□□
□□□ □ □□□□□□
□□□□ □ □□□ - □□□□
□□□□ - □□ - □□□□□□
□□□□ - □□□□
□□□□ □□□□
□□□□ □□□□
□□□□ □□□□
□□□□ □□□□
□□□□ □□□□ , □□□□□□
□□□□ □□□□ - □□□□
□□□□ □ 47 □

□ □□□□ □□□□□□
□□□□□□ □□□□
□□□□□□ □ . □ □□□ - □□□□□□
□□□ □□□□ □□□□ , □□□□□□
□□□□ , □□□□□□
□□□□ □□□□ □□□□
□□□□ □□□□ □□□□
□□□□ □□□□ □□□□ - □□□□
□□□□ , □□□□□□ - □□□□ □□□□ □
□□□□ □□□□ □ 48 □

(□ - □□□ - □ - □ - □□□□ □) (□ . 11)

(□□□□□ □□□□ - □□ - □ - □□□□□ - □ - □□□□□□
□□□ - □□□□ - □ - □ - □□□ - □ - □ - □□□□
□□□□ - □ - □ - □□□□ - - □□□□□□
□□□□□□ □□□ - □ - □□□□)

(□□□□ - □□□□□ . □□□□ - □ - □ - □□□ - □ -
□□□□ - □ - □ - □□□ - - □□□□□□)

(□□□□ □□□□ - □□□ , □□□□ □□□□ □)

□ □□□□

□□□ □

□ □□□□

□□□□□□□□□

□□□□□□□

□□□□□□□

-□□□□□□□

□□□□□

□□□□□

□□□□□

-□□□□□□□

□

Sri Amritananda Natha Guruvu Garu, Amrita Nilayam, Gowravaram Village & Post, Kavali Mandal, Nellore District, Andhra Pradesh.

Phone Number: +91 9493475515 | www.amritanilayam.org